Index of Authors

AFCHAIN, D. *See* VELGE, P.

AGNEW, A. M., LUCAS, S. B. and DOENHOFF, M. J. The host–parasite relationship of *Schistosoma haematobium* in CBA mice, 403

AMBROSE, N. C. and RILEY, J. Light microscope observations of granulomatous reactions against developing *Porocephalus crotali* (Pentastomida: Porocephalida) in mouse and rat, 27

BARRETT, J. The application of control analysis to helminth pathways, 355

BARRETT, J. *See* GOMEZ-BAUTISTA, M.

BARRETT, J. *See* WHARTON, D. A.

BARRY, J. D. *See* TURNER, C. M. R.

BEST, S. J. *See* LAWSON, J. R.

BOERSMA, ERICA *See* ROWLAND, M.

BONE, L. W. *See* WHARTON, D. A.

BOOT, C. *See* ROBERTS, SHIRLEY M.

BUNDY, D. A. P., COOPER, E. S., THOMPSON, D. E., DIDIER, J. M. and SIMMONS, I. Effect of age and initial intensity on the rate of reinfection with *Trichuris trichiura* after treatment, 469

CAPRON, A. *See* LASTRE, MIRIAM

CAPRON, A. *See* VELGE, P.

CESBRON, J. Y. *See* LASTRE, MIRIAM

CHANDIWANA, S. K. Use of ^{75}Se tracer and autoradiographic techniques in the study of schistosomiasis, 489

CHERNIN, J., MCLAREN, DIANE J., MORINAN, A. and JAMIESON, B. N. *Mesocestoides corti*: parameters of infection in CBA/Ca mice and the effect of introducing a concomitant trematode infection, 393

CHIGUSA, Y. *See* SHIWAKU, K.

COOPER, E. S. *See* BUNDY, D. A. P.

CORNETTE, J. *See* VELGE, P.

COULSON, P. S. *See* MOUNTFORD, A. P.

COUVREUR, G., SADAK, A., FORTIER, B. and DUBREMETZ, J. F. Surface antigens of *Toxoplasma gondii*, 1

CROMPTON, D. W. T. *See* LASSIERE, OLIVIA L.

DAVENPORT, T. R. B., LEE, D. L. and ISAAC, R. E. Immunocytochemical demonstration of a neuropeptide in *Ascaris suum* (Nematoda) using an antiserum to FMRFamide, 81

DIDIER, J. M. *See* BUNDY, D. A. P.

DISSOUS, C. *See* LASTRE, MIRIAM

DOENHOFF, M. J. *See* AGNEW, A. M.

DUBREMETZ, J. F. *See* COUVREUR, G.

DUKES, P. *See* GIBSON, W. C.

FATOU, A. *See* SANCHEZ-MORENO, M.

FOURTIER, B. *See* COUVREUR, G.

FULFORD, A. J. C. and YEANG, F. Analysis of worm burdens in experimental schistosomiasis, 303

GABRION, C. *See* RENAUD, F.

GARCÍA-RUIZ, M. A. *See* SANCHEZ-MORENO, M.

GARDINER, P. R. *See* VOS, G. J.

GARDINER, P. R. *See* WHITELAW, D. D.

GARDNER, R. A. and MOLYNEUX, D. H. *Schizotrypanum* in British bats, 43

GASHUMBA, J. K. *See* GIBSON, W. C.

GEMMELL, M. A. *See* LAWSON, J. R.

GIBSON, W. C., DUKES, P. and GASHUMBA, J. K. Species-specific DNA probes for the identification of African trypanosomes in tsetse flies, 63

GOMEZ-BAUTISTA, M. and BARRETT, J. Cysteine metabolism in the cestode *Hymenolepis diminuta*, 149
HARDY, G. W. *See* HOLDER, A. A.
HARRISON, L. J. S. *See* JOSHUA, G. W. P.
HENRY, D. *See* LASTRE, MIRIAM
HIGGS, S. and NOWELL, F. Laboratory studies with clones of *Eimeria hungaryensis*, a parasite of the wood mouse *Apodemus sylvaticus*, 213
HOLDER, A. A., LOCKYER, M. J. and HARDY, G. W. A hybrid gene to express protein epitopes from both sporozoite and merozoite surface antigens of *Plasmodium falciparum*, 373
HUDSON, P. J. *See* WATSON, H.

ISAAC, R. E. *See* DAVENPORT, T. R. B.

JACKSON, HELEN C. and TINSLEY, R. D. Environmental influences on egg production by the monogenean *Protopolystoma xenopodis*, 115
JACKSON, HELEN C. *See* TINSLEY, R. C.
JAMIESON, B. N. *See* CHERNIN, J.
JOSHUA, G. W. P., HARRISION, L. J. S. and SEWELL, M. M. H. Excreted/secreted products of developing *Taenia saginata* metacestodes, 477

KADOSAKA, T. *See* SHIWAKU, K.
KANEKO, K. *See* SHIWAKU, K.

LASSIERE, OLIVIA L. Host–parasite relationships between larval *Sialis lutaria* (Megaloptera) and *Neoechinorhynchus rutili* (Acanthocephala), 331
LASSIERE, OLIVIA L. and CROMPTON, D. W. T. Evidence for post-cyclic transmission in the life-history of *Neoechinorhynchus rutili* (Acanthocephala), 339
LASTRE, MIRIAM, CESBRON, J. Y., PEREZ, O., HENRY, D., OUAISSI, A., DISSOUS, C. and CAPRON, A. *Brugia malayi* microfilariae share epitopes with *Aedes aegypti*, 247
LAWSON, J. R., ROBERTS, M. G., GEMMELL, M. A. and BEST, S. J. Population dynamics in echinococcosis and cysticercosis: economic assessment of control strategies for *Echinococcus granulosus*, *Taenia ovis* and *T. hydatigena*, 177
LEE, D. L. *See* DAVENPORT, T. R. B.
LEE, D. L. *See* WATSON, H.
LOCKYER, M. J. *See* HOLDER, A. A.
LUCAS, S. B. *See* AGNEW, A. M.

MAUDLIN, I. *See* TURNER, C. M. R.
MCLAREN, DIANE J. and SMITHERS, S. R. Serum from CBA/Ca mice vaccinated with irradiated cercariae of *Schistosoma mansoni* protects naive recipients through the recruitment of cutaneous effector cells, 287
MCLAREN, DIANE J. *See* CHERNIN, J.
MCMANUS, D. P. *See* RISHI, A. K.
MOLOO, S. K. *See* VOS, G. J.
MOLYNEUX, D. H. *See* GARDNER, R. A.
MONTEOLIVA, M. *See* SANCHEZ-MORENO, M.
MORINAN, A. *See* CHERNIN, J.
MOUNTFORD, A. P., COULSON, P. S. and WILSON, R. A. Antigen localization and the induction of resistance in mice vaccinated with irradiated cercariae of *Schistosoma mansoni*, 11
MUMO, J. *See* OCHANDA, H.
MURRAY, M. *See* WHITELAW, D. D.
MUTUGI, J. J. *See* OCHANDA, H.

NELSON, R. T. *See* VOS, G. J.
NOWELL, F. *See* HIGGS, S.

OCHANDA, H., YOUNG, A. S., MUTUGI, J. J., MUMO, J. and OMWOYO, P. L. The effect of temperature on the rate of transmission of *Theileria parva parva* infection to cattle by its tick vector, *Rhipicephalus appendiculatus*, 239

OMWOYO, P. L. *See* OCHANDA, H.
OUAISSI, A. *See* LASTRE, MIRIAM
OUAISSI, M. A. *See* VELGE, P.

PEREZ, O. *See* LASTRE, MIRIAM
PERRY, R. N. *See* WHARTON, D. A.
PRAIN, C. J. and ROSS, C. A. ***Trypanosoma congolense*: interactions between trypanosomes expressing different metacyclic variable antigen types *in vitro* and *in vivo*, 277**
PRESTON, C. M. *See* WHARTON, D. A.

RAJAN, T. V. *See* ROTHSTEIN, N.
RENAUD, F. and GABRION, C. Speciation of cestoda. Evidence for two sibling species in the complex *Bothrimonus nylandicus* (Schneider 1902) (Cestoda: Cyathocephalidea), 139
RILEY, J. *See* AMBROSE, N. C.
RISHI, A. K. and MCMANUS, D. P. Molecular cloning of *Taenia solium* genomic DNA and characterization of taeniid cestodes by DNA analysis, 161
ROBERTS, SHIRLEY M., BOOT, C. and WILSON, R. A. Antibody responses of rodents to a tegument membrane preparation from adult *Schistosoma mansoni*, 425
ROBERTS, M. G. *See* LAWSON, J. R.
ROGERS, D. J. A general model for the African trypanosomiases, 193
ROSS, C. A. *See* PRAIN, C. J.
ROSSIGNOL, A. MACKAY *See* ROSSIGNOL, P. A.
ROSSIGNOL, P. A. and ROSSIGNOL, A. MACKAY. Simulations of enhanced malaria transmission and host bias induced by modified vector blood location behaviour, 363
ROTHSTEIN, N., STOLLER, T. J. and RAJAN, T. V. DNA base composition of filarial nematodes, 75.
ROWLAND, M. and BOERSMA, ERICA. Changes in the spontaneous flight activity of the mosquito *Anopheles stephensi* by parasitization with the rodent malaria *Plasmodium yoelii*, 221

SADAK, A. *See* COUVREUR, G.
SANCHEZ-MORENO, M., MONTEOLIVA, M., FATOU, A. and GARCÍA-RUIZ, M. A. Superoxide dismutase from *Ascaris suum*, 345
SCOTT, MARILYN E. Effect of repeated anthelmintic treatment on ability to detect predisposition of mice to *Heligmosomoides polygyrus* and *Aspiculuris tetraptera* (Nematoda) infections, 453
SCOTT, MARILYN E. Predisposition of mice to *Heligmosomoides polygyrus* and *Aspiculuris tetraptera* (Nematoda), 101
SEWELL, M. M. H. *See* JOSHUA, G. W. P.
SHIWAKU, K., CHIGUSA, Y., KADOSAKA, T. and KANEKO, K. Factors influencing development of free-living generations of *Strongyloides stercoralis*, 129
SIMMONS, I. *See* BUNDY, D. A. P.
SMITHERS, S. R. *See* MCLAREN, DIANE J.
STOLLER, T. J. *See* ROTHSTEIN, N.

THOMPSON, D. E. *See* BUNDY, D. A. P.
TINSLEY, R.C. and JACKSON, HELEN, C. Pulsed transmission of *Pseudodiplorchis americanus* (Monogenea) between desert hosts (*Scaphiopus couchii*), 437
TINSLEY, R. C. *See* JACKSON, HELEN C.
TURNER, C. M. R., BARRY, J. D., MAUDLIN, I. and VICKERMAN, K. An estimate of the size of the metacyclic variable antigen repertoire of *Trypanosoma brucei rhodensiense*, 269

VELGE, P., OUAISSI, M. A., CORNETTE, J., AFCHAIN, D. and CARPON, A. Identification and isolation of *Trypanosoma cruzi* trypomastigote collagen-binding proteins: possible role in cell–parasite interaction, 255
VICKERMAN, K. *See* TURNER, C. M. R.
VOS, G. J., MOLOO, S. K., NELSON, R. T. and GARDINER, P. R. Attempts to protect goats against challenge with *Trypanosoma vivax* by initiation of primary infections with large numbers of metacyclic trypanosomes, 383

WATSON, H., LEE, D. L. and HUDSON, P. J. Primary and secondary infections of the domestic chicken with *Trichostrongylus tenuis* (Nematoda), a parasite of red grouse, with observations on the effect on the caecal mucosa, 89

WHARTON, D. A. and BONE, L. W. The formation of the first-stage cuticle within the egg of *Trichostrongylus colubriformis*, 459

WHARTON, D. A., PRESTON, C. M., BARRETT, J. and PERRY, R. N. Changes in cuticular permeability associated with recovery from anhydrobiosis in the plant parasitic nematode, *Ditylenchus dipsaci*, 317

WHITELAW, D. D., GARDINER, P. R. and MURRAY, M. Extravascular foci of *Trypanosoma vivax* in goats: the central nervous system and aqueous humor of the eye as potential sources of relapse infections after chemotherapy, 51

WEI-DONG XIE. Propagation of *Cystosporogenes operophterae* (Microspora), a microsporidian parasite of the winter moth, *Operophtera brumata*, in a *Spodoptera frugiperda* cell line, 229

WILSON, R. A., *See* MOUNTFORD, A. P.

WILSON, R. A. *See* ROBERTS, SHIRLEY M.

YEANG, F. *See* FULFORD, A. J. C.

YOUNG, A. S. *See* OCHANDA, H.

Index of Subjects

Aedes aegypti, shares epitopes with microfilariae of *Brugia malayi*, 247
African trypanosomes, identification of using species-specific DNA probes, 63
African trypanosomiases, a general model for, 193
Age, effect of on the rate of reinfection with *Trichuris trichiura*, 469
Alkaline phosphatase levels, effect of *Mesocestoides corti* and *Schistosoma mansoni* infections on in mice, 393
Anhydrobiosis, recovery from is associated with cuticular permeability changes in *Ditylenchus dipsaci*, 317
Anopheles stephensi, changes in spontaneous flight activity of, 221
Anthelmintic treatment, effect of on predisposition of mice to *Heligmosomoides polygyrus* and *Aspiculuris tetraptera*, 453
Antibody response, of rodents to tegument membranes of *Schistosoma mansoni*, 425
Antigen, interaction between trypanosomes expressing different metacyclic types of, 277
Antigen localization, in mice vaccinated with *Schistosoma mansoni*, 11
Antigen repertoire, estimated size of in *Trypanosoma brucei rhodesiense*, 269
Antigens, on the surface of *Toxoplasma gondii*, 1
Ascaris suum, immunocytochemical demonstration of neuropeptide in, 81
superoxide dismutase from, 345
Aspiculuris tetraptera, effect of anthelmintic treatment on the predisposition of mice to, 453
predisposition of mice to, 101

Bats, *Schizotrypanum* infections of in Britain, 43
Bothrimonus nylandicus, genetic characterization of two sibling species in, 139
Brugia malayi, microfilariae of share epitopes with *Aedes aegypti*, 247

Caecal mucosa, ultrastructural study of in domestic chickens infected with *Trichostrongylus tenuis*, 89
Cell–parasite interaction, possible role of a collagen-binding protein from *Trypanosoma cruzi* in, 255
Cercariae, localization of antigens of, and induction of resistance to in mice, 11
Cestoda, speciation of, 139
Chemotherapy, relapse infections following, in *Trypanosoma vivax*–infected goats, 51
Cimex pipistrelli, proposed vector of *Schizotrypanum* in British bats, 43
Clones, of *Eimeria hungaryensis*, 213
Collagen-binding protein, identification of in *Trypanosoma cruzi* trypomastigotes, 255
Control analysis, application of to helminth pathways, 355
Control strategies, for echinococcosis and cysticercosis, economic assessment of, 177
Cutaneous effector cells, protect naive CBA/Ca mice from *Schistosoma mansoni*, 287
Cuticle formation, within the egg of *Trichostrongylus colubriformis*, 459
Cuticular permeability, changes in are associated with recovery from anhydrobiosis in *Ditylenchus dipsaci*, 317
Cysteine metabolism, in *Hymenolepis diminuta*, 149
Cysticercosis, population dynamics in, 177
Cystosporogenes operophterae, propagation of in a *Spodoptera frugiperda* cell line, 229

Development, of free-living generations of *Strongyloides stercoralis*, 129
Ditylenchus dipsaci, cuticular permeability changes in, 317
DNA analysis, characterization of taeniid cestodes by, 161
DNA base composition, of filarial nematodes, 75
DNA probes, for the identification of African trypanosomes in tsetse flies, 63

Echinococcosis, population dynamics in, 177
Economic assessment, of control strategies for echinococcosis and cysticercosis, 177
Egg production, by *Protopolystoma xenopodis*, environmental influences on, 115
Eimeria hungaryensis, laboratory studies with clones of, 213

Environmental influences, effect of on egg production by *Protopolystoma xenopodis*, 115
Enzymes, investigation of cysteine metabolism in *Hymenolepis diminuta*, 149
Epidemiological consequences, of parasite-modified probing behaviour, 363
Epitopes, from surface antigens of *Plasmodium falciparum* are expressed by a hybrid gene, 373
of the microfilariae of *Brugia malayi* are shared with *Aedes aegypti*, 247
Excreted/secreted products, of developing *Taenia saginata* metacestodes, 477
Experimental schistosomiasis, analysis of worm burdens in, 303
Extravascular foci, of *Trypanosoma vivax* in goats, 51

Filarial nematodes, DNA base composition of, 75
First-stage cuticle, ultrastructure of in *Trichostrongylus colubriformis*, 459
Flight activity, of *Anopheles stephensi*, changes in by parasitization with *Plasmodium yoelii*, 221
Free-living *Strongyloides stercoralis*, factors influencing development of, 129
FMRFamide, detection of in *Ascaris suum*, 81

Gene, expresses protein epitopes from surface antigens of *Plasmodium falciparum*, 373
Genetic characterization, of two populations of *Bothrimonus nylandicus*, 139
Genomic DNA, molecular cloning of in *Taenia solium*, 161
Granulomatous reactions, against *Porocephalus crotali* in mice and rats, 27

***Heligmosomoides polygyrus*, effect of anthelmintic treatment on the predisposition of mice to, 453**
predisposition of mice to, 101
Helminth egg production, effect of environment on, 115
Helminth pathways, the application of control analysis to, 355
Histopathology, of the granulomatous reactions against *Porocephalus crotali* in mice and rats, 27
Host–parasite relationships, between larval *Sialis lutaria* and *Neoechinorhynchus rutili*, 331
of *Schistosoma haematobium* in CBA mice, 403
Human schistosomiasis, comparison of mouse models for, 403
***Hymenolepis diminuta*, cysteine metabolism in, 149**

Immune status, lack of correlation with antibody response in rodents vaccinated with schistosome tegument membranes, 425
Immunization, of goats with large numbers of metacyclic trypanosomes, 383
Infection intensity, effect of on the rate of reinfection with *Trichuris trichiura*, 469
Infection of domestic chickens, with *Trichostrongylus tenuis*, 89
Infective larvae, of *Pseudodiplorchis americanus*, recruitment of into a single population of *Scaphiopus couchii*, 437

Life-history of *Neoechinorhynchus rutili*, evidence for post-cyclic transmission in, 339

Malaria transmission, simulations of, 363
Mathematical model, for the African trypanosomiases, 193
***Mesocestoides corti*, effect of a concomitant trematode infection on in mice, 393**
Metacestodes, of *Taenia saginata*, excreted/secreted products of during development, 477
Metacyclic trypanosomes, attempts to protect goats against *Trypanosoma vivax* with, 383
Metacyclic variable antigen, interaction between trypanosomes expressing different types of, 277
Metacyclic variable antigen repertoire, of *Trypanosoma brucei rhodesiense*, 269
[^{75}Se]methionine, use of in the study of schistosomiasis, 489
Microfilariae, of *Brugia malayi* share epitopes with *Aedes aegypti*, 247
Model, for the African trypanosomiases, 193
Molecular cloning, of *Taenia solium* genomic DNA, 161
Monoclonal antibodies, against the pellicular antigens of *Toxoplasma gondii*, 1
Monte Carlo simulations, for the assessment of the impact of parasite pathology on vector salivary function, 363

***Nannomonas*, identification of in tsetse flies using DNA probes, 63**
Nematodes, filarial, DNA base composition of, 75
predisposition of mice to, 105

Neoechinorhynchus rutili, evidence for post-cyclic transmission in the life-history of, 339
host–parasite relationships with larval *Sialis lutaria*, 331
Neuropeptide, immunocytochemical demonstration of in *Ascaris suum*, 81
Nourishment, effect of on development of the free-living generations of *Strongyloides stercoralis*, 129

Permeability, changes of in the cuticle of *Ditylenchus dipsaci* during recovery from anhydrobiosis, 317
Plasmodium falciparum, a hybrid gene expresses protein epitopes from surface antigens of, 373
Plasmodium yoelii, effect of parasitization by on the spontaneous flight activity of *Anopheles stephensi*, 221
Population dynamics, in echinococcosis and cysticercosis, 177
potential use of radio-isotopes in the study of in schistosomiasis, 489
Porocephalus crotali, granulomatous reactions against in mice and rats, 27
Post-cyclic transmission, evidence of in the life-history of *Neoechinorhynchus rutili*, 339
Predisposition, of mice to *Heligmosomoides polygyrus* and *Aspiculuris tetraptera*, 101
of mice to *Heligmosomoides polygyrus* and *Aspiculuris tetraptera*, effect of repeated anthelmintic treatment on, 453
Propagation, of *Cystosporogenes operophterae* in a *Spodoptera frugiperda* cell line, 229
Protection, of goats against challenge with *Trypanosoma vivax*, 383
Protopolystoma xenopodis, environmental influences on egg production by, 115
Pseudodiplorchis americanus, transmission biology of, 437

Recruitment, of cutaneous effector cells protects naive recipients of *Schistosoma mansoni*, 287
Reinfection, effect of age and initial infection intensity on for *Trichuris trichiura*, 469
Relapse infections, following chemotherapeutic treatment of *Trypanosoma vivax* in goats, 51
Resistance, induction of in mice vaccinated with *Schistosoma mansoni*, 11
Rhipicephalus appendiculatus, effect of temperature on the transmission rate of *Theileria parva parva* by, 239
Rodent malaria, effect of infection with on the spontaneous flight activity of the mosquito, 221

Scaphiopus couchii, pulsed transmission of *Pseudodiplorchis americanus* between, 437
Schistosoma haematobium, a reassessment of the mouse as a laboratory model for, 403
the host–parasite relationship of in CBA mice, 403
Schistosoma mansoni, antibody responses of rodents to tegument membrane antigen of, 425
effect of on mice infected with *Mesocestoides corti*, 393
localization of the antigens of in mice, 11
protection of naive mice against by cutaneous effector cells, 287
Schistosomiasis, analysis of worm burdens in, 303
use of radiotracer and autoradiographic techniques in the study of, 489
Schizotrypanum, in British bats, 43
Serum, from CBA/Ca mice vaccinated with irradiated cercariae of *Schistosoma mansoni* protects naive recipients, 287
Sialis lutaria, host–parasite relationships between the larvae of, and *Neoechinorhynchus rutili*, 331
Somatic components, of developing *Taenia saginata* metacestodes, 477
Speciation, of Cestoda, 139
Spodoptera frugiperda, propagation of *Cystosporogenes operphterae* in a cell line of, 229
Strongyloides stercoralis, factors influencing development of the free-living generations of, 129
Superoxide dismutase, from *Ascaris suum*, 345
Surface antigens, of *Plasmodium falciparum* are expressed by a hybrid gene, 373
of *Toxoplasma gondii*, 1

Taenia saginata, excreted/secreted products of the developing metacestodes of, 477
Taenia solium, molecular cloning of genomic DNA of, 161
Tegument membranes, of *Schistosoma mansoni*, antibody responses of rodents to, 425
Temperature, effect of on the transmission rate of *Theileria parva parva* to cattle, 239
Theileria parva parva, effect of temperature on the transmission rate of to cattle, 239
Toxoplasma gondii, surface antigens of, 1
Transmission, of malaria, Monte Carlo simulations of, 363
post-cyclic, evidence for in the life-history of *Neoechinorhynchus rutili*, 339

Transmission biology, of *Pseudodiplorchis americanus*, 437
Transmission ecology, potential use of radio-isotopes in the elucidation of, for schistosomes, 489
Transmission rate, of *Theileria parva parva*, effect of temperature on, 239
Trichostrongylus colubriformis, formation of the first-stage cuticle within the egg of, 459
Trichostrongylus tenuis, infection of domestic chickens with, 89
Trichuris trichiura, rate of reinfection with, following treatment, 469
Trypanosoma brucei rhodesiense, estimated size of the metacyclic variable antigen repertoire of, 269
Trypanosoma congolense, interactions between trypanosomes expressing different metacyclic variable antigen types, 277
Trypanosoma cruzi, identification of collagen-binding proteins from trypomastigotes of, 255
Trypanosoma vivax, attempts to protect goats against challenge with, 383
extravascular foci of in goats, 51
Trypanosoma spp., a general mathematical model for, 193
Trypanozoon, identification of in tsetse flies using DNA probes, 63

Ultrastructural study, of the effect of *Trichostrongylus tenuis* infection on the caecal mucosa of domestic chickens, 89
Ultrastructure, of the formation of the first-stage cuticle within the egg of *Trichostrongylus colubriformis*, 459

Vaccination, of mice with irradiated cercariae of *Schistosoma mansoni*, 11

Worm burdens, analysis of in experimental schistosomiasis, 303